



SPECIFICATION SHEET

Fuel heaters

FUEL HEATERS

When a customer requires a fuel heater as heating system, Mavé can supply fuel heaters with heating capacities from 16 up to 51 kW.

Fuel heaters are mostly used for heating a ship, but it can also be used for potable water heating or frost protection.

All available diesel heater models can be used with normal diesel and bio diesel.

TECHNICAL FEATURES

- Capacity from 16 up to 51 kW
- Lloyd's certification available
- Water cooled burning chamber
- Glass wool insulation
- Easy maintenance, left/right removable burner door

STANDARD SUPPLY

- The fuel heater
- User manual
- Declaration of Conformity

FUEL HEATERS

	Capacity (max.)	Pressure loss flue gases	Exhaust connection	Total capacity	CV connection	Operation temperature	CV pressure	Voltage	Dimensions LxWxH (mm)	Weight (kg)
DK17	16,6kW (80/60°C)	0,11 mbar	Ø 80 mm	17L	¾" G I.T.	max. 90°C	max. 3 bar	230V (50Hz)	370x495x565	83
DK25	25kW (80/60°C)	0,15 mbar	Ø 130 mm	31L	1" G I.T.	max. 90°C	max. 3 bar	230V (50Hz)	470x566x700	108
DK36	36kW (80/60°C)	0,17 mbar	Ø 130 mm	37L	1" G I.T.	max. 90°C	max. 3 bar	230V (50Hz)	470x566x765	122
DK51	51kW (80/60°C)	0,15 mbar	Ø 150 mm	53L	1¼" G I.T.	max. 90°C	max. 3 bar	230V (50Hz)	530x656x805	157



DK25



PRODUCT FROM MAVÉ



Loofklapper 14 - 8256 SL Biddinghuizen - The Netherlands
Tel.: +31(0)321-337467
Web: www.mave.nl - Email: info@mave.nl